




PRODUCT-DETAILS

5233AL

3/4IN STR LT NONINSUL CONN ALUM



General Information	
Extended Product Type:	5233AL
Product ID:	7TAD012240R0001
EAN:	5414363075479
Catalog Description:	3/4IN STR LT NONINSUL CONN ALUM
Long Description:	3/4 Inch Aluminum Liquidtight Connector, Non-insulated
Display Name:	5233AL

Additional Information	
Application:	High-quality, corrosion-resistant, liquidtight termination for LTA flexible aluminum conduit.
Product Type:	Connectors-Straight

Ordering	
EAN:	5414363075479

UPC: 786210802480

Technical

Number of Batteries:	0
Material:	Aluminum
Size:	3/4 Inch

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	25 EA
Package Level 1 Height:	101.6 mm 4 in
Package Level 1 Depth / Length:	203.2 mm 8 in
Package Level 1 Width:	127 mm 5 in

Certificates and Declarations

Data Sheet, Technical Information:	TDS000118
Declaration of Conformity - CE:	9AKK107492A9903

External Classifications and Standards

ETIM 8:	EC001180 - Screw connection for protective metallic hose
ETIM 9:	EC001180 - Screw connection for protective metallic hose
UNSPSC:	39121420

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Liquidtight Fittings > T&B Liquidtight

